


(3) TYP. BOTTOM RAIL HINGE JOINT CONNECTION

4 TYP. TOP RAIL HINGE JOINT CONNECTION

5 TYP. BOTTOM RAIL CONNECTION



**SPACER** -PICKET -SPACER SQUARE POST BOTTOM RAIL -#8 x 1" PAN HEAD TEK SCREW

(6) TYP. TOP RAIL CONNECTION

TYP. PICKET AND SPACER INSTALLATION

## eGlass Picket™

В

## PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EGLASS LLC.
ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF EGLASS LLC

1. DIMENSIONS SHOWN - INCHES [MM]. 2. MACHINED SURFACES TO BE 63uIN MAX.

FINISH

DO NOT SCALE DRAWING

NOTES:

3. PART TO BE FREE OF BURRS AND SHARP EDGES. 4. ALL MATERIAL TO BE CLEAN,

DEGREASED AND FREE

OF ALL IMPURITIES. 5. ANY CHANGE MUST BE AUTHORIZED BY AN EGLASS ENGINEER.

UNLESS OTHE	RWISE SPECIFIED		NAME	DATE
CHES [MM]. BE 63uIN	DIMENSIONS ARE IN INCHES FRACTIONAL ± ANGULAR: MACH ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±	DRAWN	V.P.	12/11/18
		ENG APPR.		
		MFG APPR.		
	MATERIAL	COMMENTS:  PURCHASER HAS THE FULL RESPONSIBILITY TO		

PURCHASER HAS THE FULL RESPONSIBILITY TO COMPLY WITH LOCAL, NATIONAL AND INTERNATIONAL BUILDING CODES, PURCHASER SHALL COMPLY IN ALL RESPECTS WITH ALL APPLICABLE LEGAL REQUIREMENTS GOVERNING THE DUTIES, OBLIGATIONS, AND BUSINESS PRACTICES OF THEIR LOCALITIES AND SHALL NO S OBTAIN ANY PERMITS OR LICENSES NECESSARY FOR THEIR OPERATIONS.



TITLE: EGLASS PICKET, FASCIA MOUNT, WITH BRACKET, STAIR GUARD, **42" RAILING SYSTEM** 


SIZE DWG. NO. CMGS-00-00 WEIGHT:

SCALE: 1:4

REV

SHEET 2 OF 3

В



NOTES:

1. MOUNTING:

**INSIDE CORNER AND OUTSIDE CORNER BRACKETS:** 

**FOR CONCRETE:** 

1. STD-AC-07 (1/2" THRU BOLT, 3" LENGTH)

INTERMEDIATE BRACKETS:

**FOR CONCRETE:** 

1. STD-AC-06 (3/8" THRU BOLT, 4" LENGTH)

FOR WOOD:

1. STD-AC-08 (5/8" LAG SCREW W/MIN 6" EMBED)

FOR WOOD:

1. STD-AC-05 (3/8" LAG SCREW W/MIN 6" EMBED)

UNLESS OTHERWISE SPECIFIED

ITE	M NO.	РΑ	RT NUMBER	DESCRIPTION	QTY.	
	1	А	AFA-SP-56	SQUARE POST, LONG BLANK, (2 3/8" x 2 3/8" x 1/8" x 56")	AS REQD.	
	2	8	800S-TR-01	800 SERIES, TOP RAIL (2" x 1 1/2" x 1/8"), 20' LENGTH	AS REQD.	
	3	Α	PAS-BR-01	EGLASS PICKET, BOTTOM RAIL, 20' LENGTH	AS REQD.	
	4	Α	AGA-IB-01	INTERMEDIATE FASCIA BRACKET, 6" HEIGHT	AS REQD.	
	5	A	AGA-NG-01	NEOPRENE GASKET, INTERMEDIATE BRACKET	AS REQD.	
	6	Α	AGA-SH-01	SHIM STACK, INTERMEDIATE BRACKET	AS REQD.	
	7	Α	AGA-BC-01	BOTTOM CAP, INTERMEDIATE FASCIA BRACKET		
	8	Α	AAAS-HJ-01 BLOCK - B		AS REQD.	
	9	Α	AAAS-HJ-02 BLOCK - A		AS REQD.	
	10	AAAA-RC-01 RCB, 1.5" PRE-CUT		AS REQD.		
	11	Α	AAAS-HJ-03 BLOCK - C		AS REQD.	
	12 AMAS-TI-01		MAS-TI-01	EGLASS PICKET, INFILL, TOP RAIL (2" x 1 1/2" x 1/8"), 20' LENGTH	AS REQD.	
	13 AAAA-PC-01 PC		AAA-PC-01	POST CAP, 2 3/8" SQUARE POST	AS REQD.	
	14	APAS-SR-01 EGLASS PICKET, SPACER		AS REQD.		
	15	Α	PAS-PK-01	PICKET (1" x 1"), 37.5" LENGTH	AS REQD.	
	16 APAS-UC-01 E		PAS-UC-01	EGLASS PICKET, BOTTOM RAIL, UNDERSIDE COVER, 20' LENGTH	AS REQD.	
	17	STD-SC-15 #8 x 1" PAN HEAD TEK SCREW		#8 x 1" PAN HEAD TEK SCREW	AS REQD.	
	18	8 STD-DK-03 STEPS - CONCRETE		STEPS - CONCRETE	AS REQD.	
	19 STD-AC-01		STD-AC-01	3/8" THRU BOLT, 4" LG	AS REQD.	
	20 STD-SW-00		STD-SW-00	3/8" SCREW COVER	AS REQD.	
	21 STD-NT-03		STD-NT-03	#10-24 SOCKET NUT	AS REQD.	
	22 STD-SC-02		STD-SC-02	#8 x 9/16" PAN HEAD TEK SCREW	AS REQD.	
	23 STD-SC-03		STD-SC-03	#10 x 3/4" PAN HEAD TEK SCREW	AS REQD.	
	24 STD-SC-09		STD-SC-09	#12 x 1" FLAT HEAD TF SCREW	AS REQD.	
	25	5	STD-SC-11	#8 x 7/16" PAN HEAD TEK SCREW	AS REQD.	
	26	5	STD-SC-12	#8 x 3/4" PAN HEAD TEK SCREW	AS REQD.	
	27	5	STD-SC-13	#10-24 SOCKET HEAD SCREW, 3/4" LG	AS REQD.	
	28	Α	AAS-LB-01	L-BRACKET	AS REQD.	
	29	Α	AAS-UB-02	U-BEND RAIL, 2" TOP RAIL	AS REQD.	
	NAME DATE					

**BILL OF MATERIAL TABLE** 

eGlass Picket™

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EGLASS LLC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF EGLASS LLC

1	. DIMENSIONS SHOWN - INCHES [MM].
2	. MACHINED SURFACES TO BE 63UIN
Λ	1AX.
_	

**NOTES:** 

3. PART TO BE FREE OF BURRS AND SHARP EDGES. 4. ALL MATERIAL TO BE CLEAN, DEGREASED AND FREE

OF ALL IMPURITIES. 5. ANY CHANGE MUST BE AUTHORIZED BY AN EGLASS ENGINEER.

	DIMENSIONS ARE IN INCHES	DRAWN	٧.
	FRACTIONAL ± ANGULAR: MACH ±	ENG APPR.	
	TWO PLACE DECIMAL ± THREE PLACE DECIMAL ±	MFG APPR.	
	MATERIAL	COMMENTS: PURCHASER HAS THE FULL RE COMPLY WITH LOCAL, NATIONAL BUILDING COMPLY WITH LOCAL PROPERTY OF THE PURCHASTORY OF T	
	FINISH	SHALL COMPLY IN ALL RESPE	

DO NOT SCALE DRAWING

PUNCHASER HAS THE FULL RESPONSIBILITY TO COMPLY WITH LOCAL, NATIONAL AND INTERNATIONAL BUILDING CODES, PURCHASER SHALL COMPLY IN ALL RESPECTS WITH ALL APPLICABLE LEGAL REQUIREMENTS GOVERNING THE DUTIES, OBLIGATIONS, AND BUSINESS PRACTICES OF THEIR LOCALITIES AND SHALL OBTAIN ANY PERMITS OR LICENSES NECESSARY FOR THEIR OPERATIONS.

12/11/18

TITLE: EGLASS PICKET, FASCIA MOUNT, WITH BRACKET, STAIR GUARD, **42" RAILING SYSTEM** 

DWG. NO. SIZE CMGS-00-00 WEIGHT:

SCALE: 1:60

REV SHEET 3 OF 3

В