


2


1

B

B



1 EGLASS SOLID , FASCIA MOUNT, STAIR GUARD, WITH BRACKET



2 TYP. INTERMEDIATE BRACKET MOUNTING CONNECTION

SCALE 1 : 8

A

A

eGlass Solid™

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EGLASS LLC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF EGLASS LLC IS PROHIBITED.

NOTES: UNLESS OTHERWISE SPECIFIED

- DIMENSIONS SHOWN - INCHES [MM].
- MACHINED SURFACES TO BE 63µIN MAX.
- PART TO BE FREE OF BURRS AND SHARP EDGES.
- ALL MATERIAL TO BE CLEAN, DEGREASED AND FREE OF ALL IMPURITIES.
- ANY CHANGE MUST BE AUTHORIZED BY AN EGLASS ENGINEER.

DIMENSIONS ARE IN INCHES
 FRACTIONAL ±
 ANGULAR: MACH ±
 TWO PLACE DECIMAL ±
 THREE PLACE DECIMAL ±

MATERIAL

FINISH

DO NOT SCALE DRAWING

	NAME	DATE
DRAWN	V.P.	09/25/18
ENG APPR.		
MFG APPR.		

COMMENTS:
 PURCHASER HAS THE FULL RESPONSIBILITY TO COMPLY WITH LOCAL, NATIONAL AND INTERNATIONAL BUILDING CODES. PURCHASER SHALL COMPLY IN ALL RESPECTS WITH ALL APPLICABLE LEGAL REQUIREMENTS GOVERNING THE DUTIES, OBLIGATIONS, AND BUSINESS PRACTICES OF THEIR LOCALITIES AND SHALL OBTAIN ANY PERMITS OR LICENSES NECESSARY FOR THEIR OPERATIONS.



TITLE: EGLASS SOLID, FASCIA MOUNT, STAIR GUARD, WITH BRACKET, 42" RAILING SYSTEM


SIZE	DWG. NO.	REV
A	CSGS-00-00	1
SCALE: 1:50	WEIGHT:	SHEET 1 OF 3

2


1

2


1



3 TYP. BOTTOM RAIL HINGE JOINT CONNECTION
SCALE 1 : 4



4 TYP. BOTTOM RAIL CONNECTION



5 TYP. TOP RAIL CONNECTION

eGlass Solid™

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EGLASS LLC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF EGLASS LLC IS PROHIBITED.

NOTES: UNLESS OTHERWISE SPECIFIED

1. DIMENSIONS SHOWN - INCHES [MM].
2. MACHINED SURFACES TO BE 63uIN MAX.
3. PART TO BE FREE OF BURRS AND SHARP EDGES.
4. ALL MATERIAL TO BE CLEAN, DEGREASED AND FREE OF ALL IMPURITIES.
5. ANY CHANGE MUST BE AUTHORIZED BY AN EGLASS ENGINEER.

DIMENSIONS ARE IN INCHES
 FRACTIONAL ±
 ANGULAR: MACH ±
 TWO PLACE DECIMAL ±
 THREE PLACE DECIMAL ±

MATERIAL

FINISH

DO NOT SCALE DRAWING

	NAME	DATE
DRAWN	V.P.	09/25/18
ENG APPR.		
MFG APPR.		

COMMENTS:
 PURCHASER HAS THE FULL RESPONSIBILITY TO COMPLY WITH LOCAL, NATIONAL AND INTERNATIONAL BUILDING CODES. PURCHASER SHALL COMPLY IN ALL RESPECTS WITH ALL APPLICABLE LEGAL REQUIREMENTS GOVERNING THE DUTIES, OBLIGATIONS, AND BUSINESS PRACTICES OF THEIR LOCALITIES AND SHALL OBTAIN ANY PERMITS OR LICENSES NECESSARY FOR THEIR OPERATIONS.




TITLE: **EGLASS SOLID, FASCIA MOUNT, STAIR GUARD, WITH BRACKET, 42" RAILING SYSTEM**

SIZE	DWG. NO.	REV
A	CSGS-00-00	1
SCALE: 1:8	WEIGHT:	SHEET 2 OF 3

2

1



BILL OF MATERIAL TABLE			
ITEM NO.	PART NUMBER	DESCRIPTION	QTY.
1	AAFA-SP-56	SQUARE POST, LONG BLANK, (2 3/8" x 2 3/8" x 1/8" x 56")	AS REQD.
2	810S-TR-01	810 SERIES, TOP RAIL (3" x 1 1/2" x 1/8"), 20' LENGTH	AS REQD.
3	AAAA-BR-01	BOTTOM RAIL (1 3/8" x 1 1/2" x 1/8"), 20' LENGTH	AS REQD.
4	AAGA-IB-01	INTERMEDIATE FASCIA BRACKET, 6" HEIGHT	AS REQD.
5	AAGA-SH-01	SHIM STACK, INTERMEDIATE BRACKET	AS REQD.
6	AAGA-NG-01	NEOPRENE GASKET, INTERMEDIATE BRACKET	AS REQD.
7	AAGA-BC-01	BOTTOM CAP, INTERMEDIATE FASCIA BRACKET	AS REQD.
8	AAAA-RC-01	RCB, 1.5" PRE-CUT	AS REQD.
9	AAAS-HJ-03	BLOCK - C	AS REQD.
10	AAAS-HJ-02	BLOCK - A	AS REQD.
11	AAAS-HJ-01	BLOCK - B	AS REQD.
12	AAAA-BV-31	GLASS VINYL, BOTTOM RAIL, 3/8" THICK GLASS	AS REQD.
13	ASAA-MB-01	EGLASS SOLID, MOUNTING BRACKET	AS REQD.
14	ASAA-WS-01	WASHER	AS REQD.
15	ASAA-TI-01	EGLASS SOLID, INFILL, TOP RAIL, 20' LENGTH	AS REQD.
16	AAAA-TV-31	GLASS VINYL, TOP RAIL, 3/8" THICK GLASS	AS REQD.
17	CAAS-G3-08	3/8" TEMPERED GLASS, STAIR GUARD RAILING	AS REQD.
18	ASAA-EC-01	EGLASS SOLID, END CAP, TOP RAIL	AS REQD.
19	AAAA-UC-01	BOTTOM RAIL, UNDERSIDE COVER, 20' LENGTH	AS REQD.
20	AAAS-UB-01	U-BEND RAIL, 3" TOP RAIL	AS REQD.
21	AAAS-LB-01	L-BRACKET	AS REQD.
22	AAAA-ST-31	STOPPER, 3/8" THICKNESS GLASS	AS REQD.
23	STD-DK-03	STEPS - CONCRETE	AS REQD.
24	STD-AC-06	3/8" THRU BOLT, 4" LG	AS REQD.
25	STD-SC-02	#8 x 9/16" PAN HEAD TEK SCREW	AS REQD.
26	STD-SC-03	#10 x 3/4" PAN HEAD TEK SCREW	AS REQD.
27	STD-SC-04	1/4"-20 x 1" FLAT HEAD TF SCREW	AS REQD.
28	STD-SC-09	#12 x 1" FLAT HEAD TF SCREW	AS REQD.
29	STD-SC-12	#8 x 3/4" PAN HEAD TEK SCREW	AS REQD.
30	STD-SC-13	#10-24 SOCKET HEAD SCREW, 3/4" LG	AS REQD.
31	STD-NT-03	#10-24 SOCKET NUT	AS REQD.
32	STD-SW-00	3/8" SCREW COVER	AS REQD.

NOTES:

- 1. DIFFERENT SIZES OF GLASS PANELS ARE AVAILABLE. REFER DWG NO: CAAS-G2-08 (1/4" THK) AND CAAS-G3-08 (3/8" THK).
- 2. MOUNTING:
 - INSIDE CORNER AND OUTSIDE CORNER BRACKETS:
 - FOR CONCRETE: 1. STD-AC-07 (3/8" THRU BOLT, 3.5" LENGTH)
 - FOR WOOD: 1. STD-AC-08 (5/8" LAG SCREW W/MIN 6" EMBED)
 - INTERMEDIATE BRACKETS:
 - FOR CONCRETE: 1. STD-AC-06 (3/8" THRU BOLT, 4" LENGTH)
 - FOR WOOD: 1. STD-AC-05 (3/8" LAG SCREW W/MIN 6" EMBED)

NOTES: UNLESS OTHERWISE SPECIFIED	
1. DIMENSIONS SHOWN - INCHES [MM]. 2. MACHINED SURFACES TO BE 63uIN MAX. 3. PART TO BE FREE OF BURRS AND SHARP EDGES. 4. ALL MATERIAL TO BE CLEAN, DEGREASED AND FREE OF ALL IMPURITIES. 5. ANY CHANGE MUST BE AUTHORIZED BY AN EGLASS ENGINEER.	DIMENSIONS ARE IN INCHES FRACTIONAL ± ANGULAR: MACH ± TWO PLACE DECIMAL ± THREE PLACE DECIMAL ± MATERIAL FINISH DO NOT SCALE DRAWING

eGlass Solid™
 PROPRIETARY AND CONFIDENTIAL
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF EGLASS LLC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF EGLASS LLC IS PROHIBITED.

NAME	DATE
V.P.	09/25/18
DRAWN	
ENG APPR.	
MFG APPR.	
COMMENTS: PURCHASER HAS THE FULL RESPONSIBILITY TO COMPLY WITH LOCAL, NATIONAL AND INTERNATIONAL BUILDING CODES. PURCHASER SHALL COMPLY IN ALL RESPECTS WITH ALL APPLICABLE LEGAL REQUIREMENTS GOVERNING THE DUTIES, OBLIGATIONS, AND BUSINESS PRACTICES OF THEIR LOCALITIES AND SHALL OBTAIN ANY PERMITS OR LICENSES NECESSARY FOR THEIR OPERATIONS.	

EGLASS SOLID, FASCIA MOUNT, STAIR GUARD, WITH BRACKET, 42" RAILING SYSTEM

SIZE	DWG. NO.	REV
A	CSGS-00-00	1
SCALE: 1:75	WEIGHT:	SHEET 3 OF 3